



OAKVILLE  **STONE**

As perfect as natural can be™





Oakville Stone prides itself on providing the highest quality natural stone products the earth has to offer. It is our continuous goal to provide a level of service that is unmatched in the natural stone industry. Our commitment to quality, service, and sustainability has helped us become North America's most highly regarded producer and supplier of imported landscape stone.

Our global supply chain is built on exclusive overseas partnerships, a large staff of our own company inspectors, and a solid transportation framework which enables us to not only provide all the products you see in our catalog, but any natural stone product you may find in the market.

With a vast and growing dealer base, as well as multiple distribution centers, Oakville Stone products are available for immediate delivery for any size project throughout North America.



CONTENTS



Products

- 6 Oakville Antique Limestone
- 8 Oakville Autumn Brown
- 10 Oakville Black Limestone
- 12 Oakville Blue Ice
- 14 Oakville Brown Wave
- 16 Oakville Buff
- 18 Oakville Hampton Limestone
- 20 Oakville Highland Black
- 22 Oakville Imperial Black
- 24 Oakville Ivory Coast
- 26 Oakville Rainbow
- 28 Oakville Rustic Plains
- 30 Oakville Sagebrush
- 32 Oakville Siberian Grey 
- 34 Oakville Silver Pearl 
- 36 Oakville Slate Grey
- 38 Oakville Thermal Bluestone
- 40 Oakville Tuscan Harvest 

- 42 Oakville Stone Diamond Blades

Applications

- 44 Paving
- 45 Edge Pavers
- Risers
- Rebated Treads
- Rockface Treads
- 46 Bullnose Coping
- Straight Edge Coping
- Steps
- Fillers
- 47 Pier Caps
- Wall Caps
- BBQ Slabs
- Slabs
- 48 Premixed Pattern Crates



Installation

- 50 Steps and Fillers Installation
- 52 Dry Lay Installation
- 53 Wet Lay Installation
- 54 Considerations When Using Natural Stone
- 56 Stocking Location Guide

Oakville Antique Limestone

Classification Limestone
Finish Acid Washed
Origin China



*Scan for more installation
photos and information*

Stocking location:
🇨🇦 Toronto



Oakville Autumn Brown

Classification Quartzitic Sandstone
Finish Natural Cleft
Origin India



*Scan for more installation
photos and information*

Stocking locations:

 Toronto  New Jersey



Oakville Black Limestone

Classification Limestone
Finish Natural Cleft
Origin India



*Scan for more installation
photos and information*

Stocking location:
🇨🇦 Toronto



Oakville Blue Ice

Classification Quartzitic Sandstone
Finish Natural Cleft
Origin India



Scan for more installation photos and information

Stocking locations:

-  Toronto
-  New Jersey
-  Savannah
-  St. Louis




Oakville Brown Wave

Classification Sandstone
Finish Flamed
Origin China



Scan for more installation photos and information

Stocking location:
 New Jersey



Oakville Buff

Classification	Sandstone
Finish	Natural Cleft
Origin	India



Scan for more installation photos and information

Stocking location:
🇺🇸 New Jersey



Oakville Hampton Limestone

Classification	Limestone
Finish	Flamed and Brushed
Origin	China



Scan for more installation photos and information

Stocking location:
🇨🇦 Toronto



Oakville Highland Black

Classification Granite
Finish Flamed
Origin China



*Scan for more installation
photos and information*

Stocking location:
🇨🇦 Toronto



Oakville Imperial Black

Classification	Quartzitic Sandstone
Finish	Natural Cleft
Origin	India



Scan for more installation photos and information

Stocking location:
🇨🇦 Toronto



Oakville Ivory Cost

Classification	Quartzitic Sandstone
Finish	Sandblasted
Origin	India



Scan for more installation photos and information

Stocking locations:

 Toronto
  Savannah



Oakville Rainbow

Classification Sandstone
Finish Honed
Origin India



*Scan for more installation
photos and information*

Stocking location:
🇺🇸 New Jersey



Oakville Rustic Plains

Classification	Sandstone
Finish	Natural Cleft
Origin	India



Scan for more installation photos and information

Stocking locations:

 New Jersey  Savannah



Oakville Sagebrush

Classification Quartzitic Sandstone
Finish Natural Cleft
Origin India



Scan for more installation photos and information

Stocking location:
🇨🇦 Toronto



Oakville Siberian Grey



Classification	Limestone
Finish	Sandblasted
Origin	China



Scan for more installation photos and information

Stocking locations:

Toronto St. Louis



Oakville Silver Pearl



Classification Limestone
Finish Sandblasted and Brushed
Origin Morocco



Scan for more installation photos and information

Stocking location:
🇺🇸 Savannah



Oakville Slate Grey

Classification	Quartzitic Sandstone
Finish	Natural Cleft
Origin	India



Scan for more installation photos and information

Stocking locations:

-  Toronto
-  New Jersey
-  Savannah
-  St. Louis



Oakville Thermal Bluestone

Classification Sandstone
Finish Flamed
Origin Italy



Scan for more installation photos and information

Stocking locations:

 New Jersey  St. Louis




Oakville Tuscan Harvest



Classification Limestone
Finish Sandblasted and Brushed
Origin Morocco



*Scan for more installation
photos and information*

Stocking location:
 Savannah



OAKVILLE STONE

BLACK EDITION DIAMOND BLADE



PRECISION, LONGEVITY, AND DEPENDABILITY

Key Features of Oakville Black Edition Diamond Blade:

- Manufactured in South Korea.
- Segments are laser welded and are 0.472" in height which helps ensure a longer life span. The width of our blade is .125" (1/8").
- High-quality titanium-coated diamonds are used to manufacture our segments giving them optimal strength.
- Air-cooled core structure prevents the blade from overheating – holes in the core of our blades promote cooling when sawing (especially dry), although we do recommend always using water if possible.
- Our blade can be used both wet and dry.
- Our blade is designed to cut hard materials such as our Indian quartzitic sandstones, granite, dolomite limestone, and marble, but it can also be used on concrete pavers and masonry brick and blocks.
- A key feature is the specialized diamond arrangement technology that our manufacturer in Korea uses to strategically place each diamond particle throughout each segment to outperform competitive blades. This technology provides both better cutting speed and a longer life span on our blades.
- Our blade fits most handheld saws. The arbor is 20mm with a "knock-out" to 25mm if required.
- Available in both 12" and 14" sizes.



APPLICATIONS



EDGE PAVERS

Rockfaced on One Long Side



Installation Photos



Edge Pavers

RISERS

Sawn on Four Sides



Installation Photos



Risers

REBATED TREADS

Rockfaced on One Long Side



Installation Photos



Rebated Treads

ROCKFACE TREADS

Rockfaced on One Long Side



Installation Photos



Rockface Treads

PAVING

Sawn on Four Sides



Installation Photos



Paving

BULLNOSE COPING

Finished Bullnose on One Long Side



Installation Photos



Bullnose Coping

STRAIGHT EDGE COPING

Finished on One Long Side



Installation Photos



Straight Edge Coping

PIER CAPS

Rockfaced on All Four Sides



Installation Photos



Pier Caps

WALL CAPS

Rockfaced on All Four Sides



Installation Photos



Wall Caps

STEPS

Rockfaced on One Long and Two Short Sides



Installation Photos



Steps

FILLERS

Rockfaced on One or Two Long Sides



Installation Photos



Fillers

BBQ SLABS

Rockfaced on All Four Sides




Installation Photos



BBQ Slabs

SLABS

Sawn or Split on Four Sides




Installation Photos




Slabs

PREMIXED PATTERN CRATES



Size (cm)	Number of Pcs	Sqft
30x30x2.5	24	24
30x60x2.5	12	24
60x60x2.5	24	96
60x90x2.5	12	72
Total	72	216

- * Metric paving can be laid with or without a joint. If using a joint, 3/16" is recommended. 1/4" maximum.
- * Minimal cutting may be required for a consistent joint size.
- * Total square footage of 2.5cm (1") thick Pattern 1 paving in each crate is 216 sqft. 6 modules of 36 sqft.
- * 3cm thick Pattern 1 crate contains 5 modules of 36 sqft of the pattern layout to the left for a total 180 sqft.



Size cm & (in)	Number of Pcs	Sqft
30x30 (11.5x11.5)	5	5
30x45 (11.5x17.5)	6	9
30x60 (11.5x23.5)	6	12
30x75 (11.5x29.5)	1	2.5
45x45 (17.5x17.5)	6	13.5
45x60 (17.5x23.5)	9	27
45x75 (17.5x29.5)	4	15
60x60 (23.5x23.5)	4	16
Total	41	100



- * Metric paving can be laid with or without a joint. If using a joint, 3/16" is recommended. 1/4" maximum.
- * Imperial paving must be laid with a 1/2" joint.
- * Each crate contains 2 modules of 100 sqft each of the pattern layout above.
- * Total square footage in each crate is 200 sqft.

INSTALLATION


Steps and Fillers Generic Installation

Material Requirements

Steps



Fillers





Step 1

Place one Step and two full Fillers as shown

Step 2

Place second Step with an approximately 3/4" overlap




Step 3


Cut one Filler into two equal pieces and place it behind the second Step

Step 4

Place the third Step with a 3/4" overlap




DRY LAY INSTALLATION



- Joint spacing between stone paving will vary based on sizes installed.
- Use of edge restraint is highly recommended.

WET LAY INSTALLATION



- Joint spacing between stone paving will vary based on sizes installed.
- Use of bonding agent in mortar mix is highly recommended.
- Back butter of paving before installation is highly recommended.

CONSIDERATIONS WHEN

USING NATURAL STONE

COLOR VARIATION

Stone is a product of nature, and should be appreciated for all the natural characteristics it beholds. Just as no snowflake is alike, no natural stone is alike (even if it is from the same quarry). It is because of this uniqueness that stone is often chosen, but also, sometimes misunderstood. Often the natural color range and texture variation is the source of this misunderstanding. To avoid this, one should first accept that natural stone has natural variation in color and texture. Sawn and finished stone (honed, flamed, sandblasted, etc.) will have minimal variation in texture. Secondly one should decide on the stone of their choice after seeing several full-size pieces laid out.

MAINTENANCE

Natural stone will last a lifetime with little maintenance. However, if you are the type that wants to keep your natural stone installation looking as close to as it did when it was first installed, some regular maintenance will be required. At minimum, regularly sweep to ensure loose dirt or fallen leaves do not sit on the stone for prolonged periods of time. Do not drive or allow heavy equipment to be driven on areas where the base would not support such weight. Do not allow oils or acids (acidic liquids) to come in contact with the stone. If using a gas or charcoal grill, ensure you cover the area with a grill mat to protect your natural stone patio or deck.

CLEANING

As referenced above, regular maintenance, including cleaning, should be performed from time to time on your natural stone installation. However, at no time should any cleaner containing muriatic or hydrochloric acid be used on any type of natural stone (including Oakville Stone). The use of these harsh acids is not only bad for the stone and dangerous to oneself, but also very toxic to the environment including plants and animals. If organic stains from soils, moss, mold, or leaves occur, it is best to first try cleaning with a mild soap solution, a stiff deck brush, and water. If required, a pressure washer is also acceptable (ensure that the nozzle is not set to the most concentrated stream to avoid the risk of damaging the stone). If the stains persist, there are many natural stone cleaning products on the market that have been proven to work well and not harm the stone (please consult with your local dealer for products they recommend on natural stone).

POLYMERIC HAZE

Polymeric haze is a result of polymeric sand not being properly removed from the surface of the paving when installed. The hazing will naturally disappear over time with rainfall and wear and there are several cleaners to remove the haze. Please consult your installer for the appropriate cleaner and what to expect if choosing to chemically clean this residue. Since this is entirely an installation issue, Oakville Stone does not take any responsibility for the occurrence or removal of polymeric haze.

STONE TESTING

ASTM is the abbreviation for the American Society for Testing and Materials. ASTM is an international standards organization that develops and publishes technical standards for a wide range of materials and products. Before proceeding with any new stone, it is our practice to first have it tested under the ASTM laboratory testing standards. The four most common categories under ASTM testing in the stone industry are: compressive strength, flexural strength, absorption, and density. Upon request we can provide the results from these tests for each and every one of our stone products.

SEALING

The sealing of natural stone is a hotly debated subject in our industry. Traditionalists contend that natural stone should never be sealed and one should enjoy it as it weathers and ages over time. Proponents of sealing report that it helps reduce maintenance and potential stains and/or discoloration. Our company takes a balanced approach. In our opinion sealing or not sealing is entirely a personal choice. Choosing either option will not adversely affect the life of Oakville Stone products. However, one should be aware of the possible outcomes of each choice. When choosing not to seal your natural stone, one should expect to either accept some slight fading over time and potential organic staining if not regularly maintained (swept or sprayed with water). If one chooses to seal, it is important to first confirm whether the sealer being used is suitable for that particular stone and installation type, and to read and follow the manufacturer's instructions carefully to ensure it is applied correctly. Before proceeding with any type of natural stone sealer or cleaner, be sure to first test it in an inconspicuous area.

Two important things to ensure if choosing a sealer are:

- 1- Is it suitable for that stone type? (usually clearly marked on the sealer label)
- 2- Is it breathable?

Once these points are satisfied, there are more choices such as solvent, water based, natural look, color enhance.

EFFLORESCENCE

Efflorescence is a naturally occurring process which sometimes appears in the form of a white powdery film on the surface of stone, brick, or concrete pavers. In stone products, it seldomly originates from the stone, but instead from either the brick or concrete in the stone's proximity or the cement with which the stone was laid. Efflorescence, in no way, hinders the quality and function of the stone. Before employing the use of a chemical efflorescence cleaner, first try pressure washing or scrubbing the affected area. The other method is to do absolutely nothing as this phenomenon will typically lessen or dissipate over time when exposed to the elements (rain, snow, and wear).

SNOW REMOVAL

Use of a plastic shovel is the most appropriate way of removing snow from natural stone. Use of a metal shovel can scrape and damage the surface of the stone or leave behind small remnants of steel that could turn rusty. Similarly, use of snow blowers that have a plastic shoe instead of a metal shoe is recommended. The use of salt is not recommended as it has various disadvantages. Firstly, salt can cause discoloration as it acts as a bleach. This can result in colored spots throughout the surface of the stone. Secondly, salt when mixed with melted snow and ice creates a brine that may permeate the stone and the joints and slowly corrode these materials. The safest method to ensure safety without adversely affecting the stone is to first remove as much snow as possible with a plastic shovel, then use either untreated sand or kitty litter. This will provide grip during the winter months and in the spring, a nice soil amendment when swept into the garden.


LAYING TECHNIQUES

To ensure a beautiful installation, we recommend when laying our stone paving to be sure to pick pieces from at least two or three different crates. This will ensure a good mix of color and texture variation and a spectacular end result.

STOCKING LOCATION GUIDE



Paving p44



Pattern Crates p48-49



Edge Pavers p45



Risers p45



Rebated Treads p45



Rockface Treads p45



Bullnose Coping p46



Straight Edge Coping p46



Steps p46



Fillers p46



Pier Caps p47



Wall Caps p47



BBQ Slabs p47




Slabs p47

Oakville Antique Limestone						
Oakville Autumn Brown	 	 				
Oakville Black Limestone						
Oakville Blue Ice	 	 				
Oakville Brown Wave						
Oakville Buff						
Oakville Hampton Limestone						
Oakville Highland Black						
Oakville Imperial Black						

STOCKING LOCATION GUIDE



Paving p44



Pattern Crates p48-49



Edge Pavers p45



Risers p45



Rebated Treads p45



Rockface Treads p45



Bullnose Coping p46



Straight Edge Coping p46



Steps p46



Fillers p46



Pier Caps p47



Wall Caps p47



BBQ Slabs p47



Slabs p47

	Paving p44	Pattern Crates p48-49	Edge Pavers p45	Risers p45	Rebated Treads p45	Rockface Treads p45	Bullnose Coping p46	Straight Edge Coping p46	Steps p46	Fillers p46	Pier Caps p47	Wall Caps p47	BBQ Slabs p47	Slabs p47
Oakville Ivory Cost	Canada	Canada				Canada GA	Canada GA	Canada	Canada	Canada	Canada	Canada	Canada	Canada
Oakville Rainbow		NJ				NJ	NJ							NJ
Oakville Rustic Plains	NJ	NJ GA				NJ GA								
Oakville Sagebrush	Canada	Canada	Canada			Canada	Canada		Canada	Canada	Canada	Canada		
Oakville Siberian Grey	Canada	Canada				Canada	Canada	Canada	Canada	Canada	Canada	Canada		
Oakville Silver Pearl	GA	GA					GA	GA						GA
Oakville Slate Grey	Canada NJ GA MO	Canada NJ GA MO	Canada	Canada	Canada	Canada NJ GA MO	Canada NJ GA MO	Canada NJ GA MO	Canada NJ	Canada	Canada NJ	Canada NJ MO	Canada NJ GA MO	Canada NJ GA MO
Oakville Thermal Bluestone	NJ MO	NJ MO					MO	NJ MO						NJ MO
Oakville Tuscan Harvest		GA				GA		GA						

Toronto, Canada
 New Jersey
 Savannah, Georgia
 St. Louis, Missouri



Oakville Siberian Grey



OAKVILLE STONE

Toronto | New Jersey | Savannah | St. Louis

960 Kamato Road
Mississauga, Ontario, L4W 2R6, Canada

T. 905-270-1110 F. 905-270-1160

www.oakvillestone.com